

REFERENCES

- [1] Alakangas, E. 2000. Suomessa käytettävien polttoaineiden ominaisuuksia (Properties of fuels used in Finland). Technical Research Centre of Finland, VTT Research Notes 2045. 172 p. + 17 p.
- [2] Alakangas, E. 2005. Properties of wood fuels used in Finland. Technical Research Centre of Finland, VTT Processes, Project report PRO2/P2030/05. 90 p. + 10 p.
- [3] Alakangas, E. 2012. Enhancing the implementation of quality and sustainability standards and certification schemes for solid biofuels (EIE/11/218). SolidStandards-project. 13 p.
- [4] Alakangas, E. 2013. D5.2a Case studies of sustainably certified solid biomass supply chains – Kyyjärvi, Finland, 28 p.
- [5] Alakangas, E. and Virkkunen, M. 2007. Biomass fuel supply chains for solid biofuels. The publication produced in EUBIONET2 project (EIE/04/065/S07.38628). 32 p.
- [6] Asikainen, A. 1995. Discrete-event simulation of mechanised wood-harvesting systems. Doctoral thesis. University of Joensuu, Faculty of Forestry. Research Notes 38. 86 p.
- [7] Asikainen, A., Ranta, T., Laitila, J. & Hämäläinen, J. 2001. Hakkuutähdehakkeen kustannustekijät ja suurimittakaavaisen hankinnan logistiikka [Cost factors and large-scale procurement of logging residue chips]. University of Joensuu, Faculty of Forestry. Research Notes 131. 107 p. (In Finnish). Bioenergianeuvoja.fi
- [8] BMVIT – Bundesministerium für Verkehr, Innovation und Technologie (ed.): Innovative Energietechnologien in Österreich. Marktentwicklung 2012. Biomasse, Photovoltaik, Solarthermie und Wärmepumpen. Wien. 2013.
- [9] Elomatic. 2001. Alle 10 MW:n biolämpölaitoksen suunnitteluperiaatteet (10 MW and below biofuel heat plant design principles). OPET Finland Raportti 2.
- [10] Energiateollisuus ry, Ympäristöministeriö. 2012. Kotimaista polttoainetta käyttävien 0,5...30MW kattilalaitosten tekniset ratkaisut sekä palamisen hallinta.
- [11] Fachagentur Nachwachsende Rohstoffe – FNR (Publisher). 2007. Leitfaden Bioenergie. Planung, Betrieb und Wirtschaftlichkeit von Bioenergieanlagen. 4th edition.
- [12] Hakkila, P. 2004. Developing Technology for Large-Scale Production of Forest Chips. Wood Energy Technology Programme 1999–2003. Technology Programme Report 6/2004. National Technology Agency. 98 p.
- [13] Hakkila, P. 2006. Selvitys energiapuun mittauksen järjestämisestä ja kehittämisestä [Statement on how to organise and develop the measurement of energy wood]. Dnro:n

4191/67/2005/MMM mukainen selvitystehtävä. 30 p. (In Finnish).

- [14] Hakonen, T. & Laurila, J. 2011. Metsähakkeen kosteuden vaikutus polton ja kaukukuljetuksen kannattavuuteen. Seinäjoen ammattikorkeakoulun julkaisusarja B, Raportteja ja selvityksiä 55. 31 p.
- [15] Hartmann, H. (ed.). 2003. Thuncke, K., Höldrich, A., Rossmann, P.: Handbuch – Bioenergie Kleinanlagen, Fachagentur Nachwachsende Rohstoffe, Gülzow.
- [16] Hartmann, H., 1998. Influences on the Quality of Solid Biofuels – Causes for Variations and Measures for Improvement; In: Proceedings of the 10th European Bioenergy Conference, June 1998, Würzburg, Germany, C.A.R.M.E.N. (ed.), Rimplar, Germany.
- [17] Hillebrand, K. & Nurmi, J. 2001. Hakuutähteen laadunhallinta. In: Alakangas, E. (ed.). Puuenergian teknologiaohjelman vuosikirja 2001. Puuenergian teknologiaohjelman vuosiseminaari, Jyväskylä, 5. – 6. 9. 2001. VTT Symposium 216: 285–295.
- [18] IEE Agriforenergy2. 2012. Advisory folders. http://www.agriforenergy.com/content/index.php?option=com_content&view=article&id=127&Itemid=156
- [19] IEE Project. 2012. “Biomass logistic and trade centre” www.biomassradecentre2.eu
- [20] IEE Woodheat Solutions. 2011. Final publishable report. pp. 46-52. [http://www.woodheat solutions.eu/documents/WhS%20Final%20Project%20Report%20\(publishable\)%20%20\(FINALwith%20cover\)s%20.pdf](http://www.woodheat solutions.eu/documents/WhS%20Final%20Project%20Report%20(publishable)%20%20(FINALwith%20cover)s%20.pdf)
- [21] Jahkonen, M., Jouhiaho, A., Lindblad, J., Rieppo, K. & Mutikainen, A. 2012 a. Kantoharalla ja kantoharvesterilla korjatun kantopuun lämpöarvo ja tuhkapitoisuus. Metsäntutkimuslaitoksen työraportteja 239. 20 p.
- [22] Jahkonen, M., Lindblad, J., Sirkiä, S. & Laurén, A. 2012 b. Energiapuun kosteuden ennustaminen. Metsäntutkimuslaitoksen työraportteja 241. 35 p.
- [23] Jalovaara, J., Aho, J., Hietämäki, E. and Hyytiä, H. 2003. SY649 (Best available techniques (BAT) in 5—50MW combustion plants in Finland) The Finnish Environment Institute.
- [24] Jirjis, R. 1995. Storage and drying of wood fuel. Biomass and Bioenergy, vol. 9: 181–190.
- [25] Jylhä, P. 2011. Harvesting undelimited Scots pine (*Pinus sylvestris* L.) from first thinnings for integrated production of craft pulp and energy. Dissertationes Forestales 133. 73 p.
- [26] Jylhä, P., Dahl, O., Laitila, J. & Kärhä, K. 2010. The effect of supply system on the wood paying capability of a craft pulp mill using Scots pine harvested from first thinnings. *Silva Fennica* 44(4): 695–714.

- [27] Kärhä, K. 2011b. Metsähakkeen tuotantoketjut Suomessa vuonna 2010 [Industrial supply chains of forest chips in Finland in 2009]. Metsäteho 2011. (In Finnish). Available at: http://www.metsateho.fi/files/metsateho/Tuloskalvosarja/Tuloskalvosarja_2011_06_Metsahakkeen_tuotantoketjut_2010_kk.pdf
- [28] Kärhä, K. 2010. Metsähakkeen tuotantoketjut Suomessa vuonna 2009 [Industrial supply chains of forest chips in Finland in 2010]. Metsäteho 2010. (In Finnish). Available at: http://www.metsateho.fi/files/metsateho/Tuloskalvosarja/Tuloskalvosarja_2010_09_Metsahakkeen_tuotantoketjut_Suomessa_2009_kk.pdf
- [29] Kärhä, K. 2011a. Industrial supply chains and production machinery of forest chips in Finland. *Biomass and Bioenergy* 35(8): 3404-3413.
- [30] Kärhä, K., Elo, J., Lahtinen, P., Räsänen, T., Keskinen, S., Saijonmaa, P., Heiskanen, H., Strandström, M. & Pajuoja, H. 2010. Kiinteiden puupolttoaineiden saatavuus ja käyttö Suomessa 2020 [Availability and use of solid wood fuels in Finland in 2020]. Työja elinkeinoministeriön julkaisuja. *Energia ja ilmasto*. 66/2010. 68 p. (In Finnish)
- [31] Kärhä, K., Jylhä, P. & Laitila, J. 2011. Integrated procurement of pulpwood and energy wood from early thinnings using whole-tree bundling. *Biomass and Bioenergy* 35(8): 3389–3396.
- [32] Karisch-Gierer, D.; Schnedl, C.; Gutschlhofer, E.; Ofner, H.; Luef, S.; Stummer, H.; Schmoliner, C.; Jauschnegg, H.; Pelzmann, G.; Gissing, H.; Peer, M. 2007. Entwicklung eines Geschäftsfeldes „Waldbiomasseversorgung-SÜDOST“ durch die vorrangige Nutzung bisher ruhender Holzreserven. *Berichte aus Energie-und Umweltforschung* 13/2007. Graz/ Wien.
- [33] Karttunen, K., Jäppinen, E., Väätäinen, K. & Ranta, T. 2008. Metsäpolttoaineiden vesitiekuljetus proomukalustolla [The barge transportation of forest chips on the waterways]. Lappeenrannan teknillinen yliopisto, tutkimusraportti EN B-177. 54 p. (In Finnish)
- [34] Khan, A. A., de Jong, W, Jansen, P.J. and Spliethoff, H. 2009. Biomass combustion in fluidized bed boilers: Potential problems and remedies. *Fuel Processing and Technology* 90: 21-50.
- [35] Kofman, P. 2013 a. Fuel characterization and standardisation. Course material, COST Training School – Forest Fuel Quality Assurance, Norwegian Forest & Landscape Institute, Campus Ås, Norway. Jun 9th–Jun 15th, 2013.
- [36] Kofman, P. 2013 b. Influencing factors on chip and hog fuel quality. Course material, COST Training School – Forest Fuel Quality Assurance, Norwegian Forest & Landscape Institute, Campus Ås, Norway. Jun 9th– Jun 5th, 2013.

- [37] Kokkonen S. 2005. Business Models on Biofuel Productions Chains. Tutkimusraportti VTT prosessit, Jyväskylä. http://www.chem.jyu.fi/ue/frame_left/UEsem2005-Kokkonen.pdf
- [38] Laitila J., Kilponen M. & Nuutinen Y. 2013. Productivity and cost-efficiency of bundling logging residues at the roadside landing. *Croatian Journal of Forest Engineering* 34(1).
- [39] Laitila, J. & Asikainen, A. 2006. Energy wood logging from early thinnings by harwarder method. *Baltic Forestry* 12(1): 94-102.
- [40] Laitila, J. & Väätäinen, K. 2012. Truck transportation and chipping productivity of whole trees and delimbed energy wood in Finland. *Croatian Journal of Forest Engineering* 33(2): 199–210.
- [41] Laitila, J. & Väätäinen, K. 2013a. The cutting productivity of the excavator-based harvester in integrated harvesting of pulpwood and energy wood. A manuscript submitted to *Baltic Forestry*. 24 p.
- [42] Laitila, J. & Väätäinen, K. 2013b. Hakkuutyön tuottavuus metsävarustellulla turvetuotantotraktorilla karsitun ainesja energiapuun korjuussa [The cutting productivity in integrated harvesting of pulpwood and delimbed energy wood with a forestry-equipped peat harvesting tractor]. *SUO (Mires and peat)* 64(2). 23 p. (In Finnish with English summary).
- [43] Laitila, J. 2008. Harvesting technology and the cost of fuel chips from early thinnings. *Silva Fennica* 42(2):267–283.
- [44] Laitila, J. 2012. Methodology for choice of harvesting system for energy wood from early thinning. *Dissertationes Forestales* 143. 68 p.
- [45] Laitila, J., Leinonen, A., Flyktman, M., Virkkunen, M. & Asikainen, A. 2010. Metsähakkeen hankintaja toim-ituslogistiikan haasteet ja kehittämistarpeet [Challenges and development needs of forest chips procurement and delivery logistics]. *VTT Tiedotteita Research – Notes* 2564. 143 p. (In Finnish).
- [46] Laitila, J., Asikainen, A. & Nuutinen, Y. 2007. Forwarding of whole trees after manual and mechanised felling bunching in precommercial thinnings. *International Journal of Forest Engineering* 18(2): 29–39.
- [47] Laitila, J., Kärhä, K. & Jylhä, P. 2009. Time Consumption Models and Parameters for Off- and On-road Transportation of Whole-tree Bundles. *Baltic Forestry* 15: 105–114.
- [48] Laitila, J., Ranta, T. & Asikainen, A. 2008. Productivity of stump harvesting for fuel. *International Journal of Forest Engineering* 19(2): 37–46.

- [49] Lappalainen, I. (eds.) (2006). Hakelämmöstä yritystoimintaa. North Karelia University of Applied Sciences & Motiva Ltd.
- [50] Laurila, J. & Lauhanen, R. 2012. Weight and volume of small-sized whole trees at different phases of the supply chain. *Scandinavian Journal of Forest Research* (27):46–55.
- [51] Lindblad, J., Äijälä, O. & Koistinen, A. 2008. Energiapuun mittaus [Measurement of energy wood]. Guideline of Tapio and Finnish Forest Research Institute. 24 p.
- [52] Loibnegger, T. 2011. Roadmap for implementing standards. Woodheat Solutions. 38 p.
- [53] McKendry, P. 2002. Energy production from biomass (part 1): overview of biomass. *Bioresource Technology* 83:37-46.
- [54] Nurmi, J. & Hillebrand, K. 2007. The characteristics of whole tree fuel stock from silvicultural cleanings and thinnings. *Biomass and Bioenergy* 31(6): 381–392.
- [55] Nurmi, J. 1994. Työtavan vaikutus hakkuukoneen tuotokseen ja hakkuutähteen kasautumiseen [The effect of working method on a harvester's cutting productivity and bunching of logging residues]. *Metsätieteen aikakauskirja* 2/1994:113–122. (In Finnish).
- [56] Nurmi, J. 2007. Recovery of logging residues for energy from spruce (*Picea abies*) dominated stands. *Biomass and Bioenergy* 31(6): 375–380.
- [57] Nurmi, J. & Lehtimäki, J. 2011. Debarking and drying of downy birch (*Betula pubescens*) and Scots pine (*Pinus sylvestris*) fuelwood in conjunction with multi-tree harvesting. *Biomass and Bioenergy* 35: 3376–3382.
- [58] Okkonen, L., Puhakka, A. and Suhonen, N. 2006. Management models of heat energy entrepreneurship in Finland. PUUT49. Project report summary. NCP.
- [59] ÖKL-Arbeitskreis Energie. 2009. ÖKL-Merkblatt Nr.67 – Planung von Biomasseheizwerken und Nahwärmenetzen, 2. Auflage, Wien: Österreichisches Kuratorium für Landtechnik und Landentwicklung.
- [60] Peltola, T. 2005. Business on the margin: Co-operative heating and the politics of forests in Finland. Draft paper.
- [61] Pointner, C., Waltenberger, R. 2010. Parameters for the localisation of biomass district heating and anaerobic digestion plants for the software BIOPOLE. Technical paper compiled in WP5 for the project BioEnerGIS.
- [62] Puhakka, A. 2005. Energiaratkaisujen valinnan ohjaus kunnissa. Pro gradututkielma. Oikeustieteiden laitos. Joensuun Yliopisto.
- [63] QM Holzheizwerke. 2008. Band 4 – Planungshandbuch, 2. edition, Straubing,

C.A.R.M.E.N.e.V.

- [64] Raitila, J., Virkkunen, M., Kymäläinen, M., Guinard, L., Giry, C., Gauthier, A., Carter, V., Ridley, R., Lambergar, N., Ehrig, R. 2012. Activating private forest owners to increase forest fuel supply. Final report of IEE/08/435/SI2.529239. www.forest.fi
- [65] Ranta, T. & Rinne, S. 2006. The profitability of transporting uncomminuted raw materials in Finland. *Biomass and Bioenergy* 30(3): 231–237.
- [66] Ranta, T. 2002. Logging residues from regeneration fellings for biofuel production – a GIS-based availability and cost supply analysis. Lappeenranta University of Technology. Finland. *Acta Universitatis Lappeen-rantaensis* 128. 180 p.
- [67] ReAct (Rautanen, J.). 2004. Renewable Energy Action. Case study 16: Biomass Heat Entrepreneurship.
- [68] Röser, D. 2012. Operational efficiency of forest energy supply chains in different operational environments.
- [69] Doctoral thesis. University of Eastern Finland. *Dissertationes Forestales* 146. 83 p.
- [70] Rottensteiner, C., Affenzeller, G. & Stampfer, K. 2008. Evaluation of the feller-buncher Moipu 400E for energy wood harvesting. *Croatian Journal of Forest Engineering* 29(2):117–128
- [71] Routa, J., Asikainen, A., Björheden, R., Laitila, J. & Röser, D. 2012. Forest energy procurement – state of the art in Finland and Sweden. Article to *Wiley Interdisciplinary Reviews: Energy and Environment*. 24 p.
- [72] Saramäki, K. 2007. Wood fuel production and use in solid fuel heat plants under 5 MWth. Training material. EUBIONET2, IEE Project. North Karelia University of Applied Sciences, Joensuu.
- [73] Sauvula-Seppälä, T. 2010. Lämpörittäjyyden kannattavuus lämmönostajan jamyjään sekä metsänomistajan näkökulmasta. SeAMK Seinäjoen ammattikorkeakoulu. Seminar presentation at Maataloustieteen Päivät 2010. www.smts.fi.
- [74] Seppänen, A., Harstela, P. & Rantala, J. 2008. Informaatioja kommunikaatioteknologia (ICT) metsänhoito- hdistysten metsäpalveluiden hallinnassa [Usability of information and communication technology (ICT) in the coordination of forest management services of forest management associations]. *Metlan työraportteja/ Working Papers of the Finnish Forest Research Institute* 82. 50 p. (In Finnish)
- [75] SFS-EN 14588: 2010. Solid biofuels. Terminology, definitions and descriptions. Standard. Finnish Standards Associations.

- [76] SFS-EN 14961-1: 2010. Solid biofuels. Fuel specification and classes. Part 1. General requirements. Standard. Finnish Standards Associations.
- [77] Shleifer, A. 1998. State versus Private Ownership. *Journal of Economic Perspectives*. Vol. 12, No. 4. 133–150. SolidStandards-project
- [78] Solmio, H., Puhakka, A. and Paukkunen, S. Sopimukset (Contracts). in Kokkonen, A. & Suhonen, N. 2006.
- [79] Business Models of Heat Entrepreneurship. Northern Woodheat project. North Karelia University of Applied Sciences, Joensuu.
- [80] Tahvanainen, T. & Anttila, P. 2011. Supply chain cost analysis of long-distance transportation of energy wood in Finland. *Biomass & Bioenergy* 35(8): 3360–3375.
- [81] Thörnqvist, T. 1985. Drying and Storage of Forest Residues for Energy Production. *Biomass* 7: 125–134.
- [82] Vartiamaäki, T., Ranta, T. & Jäppinen, E. 2006. Large scale forest fuel supply solution through a regional terminal network in Finland. In: *Proceedings of the World Bioenergy Conference 2006*, 30 May–1 June, Jönköping–Sweden. 308–313.
- [83] Waldverband Österreich. 2009. (Publisher):Biomasse aus dem Wald-Wissenswertes für den Eigenbedarf*. Wien.
- [84] Windisch, J., Sikanen, L., Röser, D. & Gritten, D. 2010. Supply chain management application for forest fuel procurement – cost or benefit? *Silva Fennica* 44 (5): 845-858.

www.afo.eu.com

www.eubionet.com

www.woodheatsolutions.eu